



**CVS**

**General Information**



### Introduction

- Continuous operation panel with 14 illuminated metal direct selection buttons
- Customizable advertising panel
- Operating elements at ergonomic height
- Its modular design makes it extremely easy to service and recycle
- Combination of whole coffee beans and instant products
- High performance grinder
- High-Tech PEEK Brewer



### Overview

Dimensions:	1,830 x 700 x 770 mm (height x width x depth)*
Weight:	190 - 240 kg (depending on the variant)
Number of drinks:	up to 180 cups/hour (varies depending on the product and setting)
Electrical connection values:	220 - 230 V / 50/60 Hz / 16 A (optional 10 A)
Output:	3 kW (optional 2.2 kW)
Water connection:	3/8" internal thread

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

### Design variants

#### Operator panel

- RB = Operator panel RAL painted
- EB = Operator panel made from stainless steel

#### Housing colors

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Deep black (RAL 9005)

**Door colors**

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Deep black (RAL 9005)

**Designs**

- Design A
- Design B
- Design E (Standard)

All pictures relating to the design variants can be found in the brochure.

**Options and accessories**

- Pot switching



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
IN  
■ GERMANY