


SiLine® GF L General Information





General Information



Introduction

- Vending of glass bottles, PET bottles and cans from 0.2 I to 0.6 I
- For products ranging from 200 to 910 grams and with a diameter ranging from 53 mm to 72 mm
- Max. bottle height: 270 mm
- Up to 8 shelves
- 9 to 10 selections per shelf
- Modular design especially easy to service and recycle



Overview

Dimensions: 1,830 x 1,140 x 895 mm (height x width x depth)*

Weight: Approx. 360 kg (in standard configuration with 5 shelves)

Electrical connection values: 220 - 230 V~ / 50 Hz / min. 10 A

Power consumption: 400 - 750 W (varies depending on the type of chiller unit)

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Design panel

- Design VA = Lower design panel made from Stainless
- Design RA = Lower design panel RAL painted

Cabinet colours





- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Optional:

The standard design VA can be added with the design package A or B. Design RA can be complemented with Design package A.

Design package A includes:

■ LED-Decoration strips above and below the glass panel

Design package B includes:

- LED-Decoration strips above and below the glass panel
- Upper door decoration panel in stainless steel
- Kickplate in stainless steel

All design variants can be found in the brochure.



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155

info@sielaff.de www.sielaff.com See here for our company profile video



