

# SiLine® HG TS7 Basis



### SiLine® HG TS7

#### **Basis**



#### General information

- Ease to operate using 20 capacitive keys with large product decals
- Product information and programming via 7" touch display
- Large, open dispense outlet with optional RGB-user prompting
- Dry sugar and stirrers
- Energy saving water system with bespoke drink temperatures
- Innovative instant containers with SiTwist'n-Lock system



#### Basic data

Dimensions: 1,830 x 700 x 755 mm (height x width x depth)\*

Weight: approx. 210 kg

Cup capacity: can dispense up to 180 cups per hour (varies depending on product and setting)

Electrical data: 220 - 230 V / 50/60 Hz / min. 10 A

Power: 2,3 kW

Water connection: John Guest

\*Deviations in the housing dimensions are possible due to add-on parts and accessories.

#### **Design variants**

#### Design panel

- Design VA = Lower design panel made from stainless steel
- Design RA = Lower design panel RAL painted

#### **Housing colours**

## SiLine® HG TS7 Basis



■ Jet black (RAL 9005)

#### Optional:

The standard design VA can be added with the design package A or B. Design RA can be complemented with Design package A.

#### Design package A includes:

■ LED decoration stripes

#### Design package B includes:

- LED decoration stripes above and below the glass panel
- Upper door decoration panel in stainless steel
- Foot plate in stainless steel

All design variants can be found in the brochure.



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155

info@sielaff.de www.sielaff.com See here for our company profile video



