




SiLine[®] SiOne M
Basic



Introduction

- Reverse vending of disposable and reusable PET bottles, cans and cups with EAN code
- With the SiDrop glass bottles can be accepted as an option
- Barcode recognition (up to 20,000 codes)
- Acceptance speed: Up to 30 empties per minute
- Capacity: Up to 700 bottles (0.5 l PET) or up to 850 cans
- Optional:
SiDrop, approx. 350 bottles (0.5 l glass. For mixed acceptance including also smaller bottles, a higher capacity is achievable)
- Fits perfectly in a Vending line with other SiLine and vending machines
- Optimal range of application: closed environment such as company canteens
- Modular design - makes it extremely easy to service and recycle



Overview

Dimensions:	1.830* x 990 x 895 mm (height x width x depth)**
Weight:	Approx. 200 kg
Container size:	Max. diameter 140 mm; Max. length 380 mm
Acceptance speed:	Up to 30 units per minute
Capacity:	Approx. 700 bottles (0,5 l PET) or approx. 850 cans
Electrical connection values:	220 – 230 V / 50/60 Hz /mind. 10 A

***Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Design variants

Design panel

- Design VA = Lower design panel made from Stainless steel
- Design RA = Lower design panel RAL painted

Cabinet colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Optional:

The standard design VA can be added with the design package A.
Design RA can be complemented with Design package A.

Design package A includes:

- LED decoration panel

All design variants can be found in the brochure.

Options and accessories

Features:

- Rotating drum
- Coin hopper holds up to 2,000 coins
- Barcode scanner recognition range approx. 170 mm
- Packaging recognition
- Sluice gate function in the acceptance area
- LED-strip Status indicator

Optionen:

- Up to 2 coin hoppers possible
- Sorting into two Sections
- SiDrop (with SiLine SiOne M only)
- Roller container (with SiLine SiOne S only)
- Receipt printer
- Ingress protection, Thread catcher
- Product recognition (cup acceptance is possible either with or without barcodes)



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY