

SiOneGeneral Information



SiOne

General Information



Introduction

- Reverse vending of disposable and reusable PET bottles, cans and cups with EAN code
- Barcode recognition (up to 10,000 codes)
- Acceptance speed: Up to 30 empties per minute
- Capacity: Up to 600 bottles (0.5 I PET) or up to 700 cans
- Fits perfectly in a Vending line
- Individual branding available for door and side walls
- Modular design makes it extremely easy to service and recycle



Overview

Dimensions: 1,830 x 990 x 880 mm (height x width x depth)*

(1,940 mm height on delivery)

Weight: 150 kg

Acceptance speed: Up to 30 empties per minute

Capacity: Approx. 600 bottles (0.5 I PET) or approx. 700 cans

Electrical connection values: 220 - 230 V / 50/60 Hz /min. 10 A

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Operator panel

- RB = Operator panel RAL painted
- EB = Operator panel made from stainless steel

Cabinet colours

SiOne

General Information



- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Door colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

Options and accessories

- Second coin hopper
- Separation into two fractions
- Roller container
- Receipt printer
- Ingress protection
- Anti-duping device
- Product recognition (cup return possible with or without barcode)



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155

info@sielaff.de www.sielaff.com See here for our company profile video



