



## SiOne Outdoor

### SiOne



### Introduction

- Rain shield
- Flap in front of product acceptance unit
- Security frame with side lock
- Rear panel (advertising opportunity)
- Residual current circuit breaker
- Heater



### Overview

Dimensions:	1,861 x 1,055 x 1,000 mm (height x width x depth incl. roof shelf)*
Weight:	170 kg
Acceptance speed:	Up to 30 empties per minute
Capacity:	Approx. 600 bottles (0.5 l PET) or approx. 700 cans
Electrical connection values:	220 - 230 V / 50/60 Hz / min. 10 A

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

### Design variants

#### Operator panel

- RO = Operator panel RAL painted

#### Cabinet colours

- Pure white (RAL 9010)

- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Door colours

- Pure white (RAL 9010)
- White aluminum (RAL 9006)
- Jet black (RAL 9005)

### Options and accessories

- Second coin hopper
- Separation into two fractions
- Roller container
- Receipt printer
- Ingress protection
- Anti-duping device
- Product recognition (cup return possible with or without barcode)



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
IN  
■ GERMANY