



## SiVario 2020

### Basic



### Features

- Reverse vending of disposable and reusable PET containers, glass bottles, cans, cups with EAN-code and beverage cartons
- Camera-based, rotationless Omega 360° -Container recognition in real time
- Precision scales: Weight, barcode and shape recognition, safety marking as well as recognition of full containers in the bottle acceptance area
- Optimized shape of the coin insert ring to prevent running drips
- Easy cleaning:  
Menu-guided cleaning with animation  
- With the intuitive color concept of the surfaces to be cleaned
- Particularly easy to service due to complete access to all operating elements from the front
- Electronic lock - Opening by code



### Basic data

Dimensions with crate acceptance:	1,715 x 600 x 1,080 mm (height x width x depth)*
Dimensions without crate acceptance:	1,715 x 600 x 955 mm (height x width x depth)*
Weight with crate acceptance:	Approx. 330 kg
Weight without crate acceptance:	Approx. 270 kg
Electrical connection values:	3L/N/PE, 400 V, 50 Hz
Power consumption:	Max. 650 W, 70 W Standby
Operating temperature:	+5 °C up to +40 °C non-condensing
Wall opening:	1,750 x 650 mm (height x width)

*\*Deviations in the housing dimensions are possible due to add-on parts and accessories.*

### Pr.del.unit

- Thermal printer with cutting mechanism and receipt roll
- Receipt is displayed externally

- Receipt data can also be loaded onto a mobile app via QR-code

### Interfaces

- Standard XML data interface
- LAN (Ethernet)

### Conformity

- CE, DPG-certified
- UKCA (UK Conformity Assessed)

### Design variants

#### Standard:

- Branding RAL 9005

#### Optional:

- Branding RAL 9006
- Branding "Kugel"
- Branding "Biene"
- Customizable branding

### Options and accessories

- SiFace Software:
  - Product range releases
  - Change opening times
  - Installing coupon promotions, donations or advertising on the display
- SiWash 2020 - The hygiene station: Emptying any residual liquids for improved hygiene
- Connection to conveyor and sorting units for disposable and reusable packaging
- CrossMove 90



Sielaff GmbH & Co. KG  
Automatenbau Herrieden  
Münchener Str. 20  
91567 Herrieden  
Germany

Phone: +49 9825 18-0  
Telefax: +49 9825 18-311155  
[info@sielaff.de](mailto:info@sielaff.de)  
[www.sielaff.com](http://www.sielaff.com)

See here for our  
company profile video



■ MADE  
IN  
■ GERMANY