



SiVario 2020 eaSi
Basic



SiVario 2020 eaSi

Basic

MADE
IN
GERMANY

Features

- Ergonomic design with reduced infeed and operating height – comfortable for all user groups
- Reverse vending of disposable and reusable PET containers, glass bottles, cans, cups with EAN-code and beverage cartons
- Camera-based, rotationless Omega 360° -Container recognition in real time
- Barcode and shape recognition, safety marking
- Precision scales: Weight and recognition of full containers in the bottle acceptance area
- Optimized shape of the coin insert ring to prevent running drips
- Easy cleaning:
Menu-guided cleaning with animation
- With the intuitive color concept of the surfaces to be cleaned
- Particularly easy to service due to complete access to all operating elements from the front
- Electronic lock - Opening by code



Basic data

Dimensions:	1.443 x 600x 1080mm (height x width x depth)*
Required floor space:	0,80 m ²
Weight:	approx. 270 kg
Electrical connection:	3L/N/PE, 400 V, 50 Hz
Power consumption:	Max. 650 W, 70 W Standby
Operating temperature:	+5 °C bis zu +40 °C non-condensing

* Deviations in housing dimensions may occur due to attachments and accessories.

Einwurf- und Bedienhöhen

Operator panel:	1.185 mm
Container acceptance height:	1.147 mm
Modular Loyalty System:	1.036 mm
Bag holder:	1.027 mm
Voucher dispense:	879 mm

Conformity

- CE, DPG-certified
- UKCA (UK Conformity Assessed), EWP

Optional extension: Orientation and operating aids

- High-contrast display for improved visibility
- Acoustic signal tones for important processes, e.g. accepted containers, voucher printing, or rejections
- Tactile markings to identify the bottle infeed and voucher output
- Braille and pyramid markings to indicate important elements
- Bottle acceptance without display interaction: facilitates use for people with limited mobility
- Automatic receipt printing without interaction with the display
- Bright contrast strip and clearly highlighted infeed area for improved visibility

General Information

Reverse vending machines do not fall within the scope of the European Accessibility Act. Nevertheless, we have equipped our machines with various features that improve accessibility for all users and ensure user-friendly operation.



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY