

SiVend HG 15 TT Espresso

General Information



SiVend HG 15 TT Espresso

General Information



Introduction

- 15 large, freely programmable selection buttons
- Flat glass-fronted door
- Glass front made from safety glass, easy to clean
- High performance grinder
- High-Tech Peek-Brewer
- Coffee servings from 6 to 14g



Overview

Dimensions: 934 x 512 x 520 mm (depth with drip tray 557 mm), (height x width x depth)*

Floor-standing cabinet: 760 x 512 x 520 mm (height x width x depth)*

Weight: Approx. 90 kg

Electrical connection values: 220-230 V, 50/60 Hz, 16 A

Power consumption: 2.9 kW Water connection: 3/4"

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Door color

■ Deep black (RAL 9005)

Designs

SiVend HG 15 TT Espresso

General Information



■ Design A: Colored steam

■ Design B: Red cup

■ Design C: Sunset

All pictures relating to the design variants can be found in the brochure.

Options and accessories

- Pot switching (for pots up to 220 mm)
- Cup dispense mechanism (capacity up to 170 cups)
- Height-adjustable cup shelf
- Hot water valve
- Americano bypass valve



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155

info@sielaff.de www.sielaff.com See here for our company profile video



