

Siamonie Smart OCS XL

General Information



Siamonie Smart OCS XL

General Information



Introduction

- Greater filling capacity
- Closed product containers
- With MDB connection
- Coffee and instant containers use the complete machine depth
- Clearly arranged machine interior, particularly easy cleaning and servicing
- Convenient size of grounds container
- Innovative Sielaff brewer with separate brewing unit



Overview

Dimensions: 580 x 380 x 540 mm (height x width x depth)*

Weight: Approx. 47 kg

Electrical connection values: $220-230 \text{ V} \sim / 50/60 \text{ Hz} / 16 \text{ A}$

Output: 2.2 kW

Number of drinks: Up to 100 cups/hour

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Cabinet colour

Jet black (RAL 9005)

Door colour

■ Signal white (RAL 9003)

Siamonie Smart OCS XL

General Information



Optional

■ Door colour in black, matt (RAL 9005)

Options and accessories

Milk module

- Can be easily retroffited to new Siamonie Smart machines
- Great flexiblity, adaptable to all requirements
- Milk frother wand for ease of operation
- Short cleaning programme
- Low energy consumption
- Removable side and rear panels for excellent accessibility when servicing
- Desalination filter ensures low maintenance costs
- Intuitive switch-over to topping when the milk has run out or the milk module has already been cleaned

Base cabinet

- Attractively shaped to match the Siamonie Smart
- The front panels have a black laminate matt finish
- Lockable door and heightadjustable shelf
- Various accessories are available as an option i. e. exchangeable upper and front panels

Payment module

- Housing for payment systems
- For coin mechanisms, banknote readers, cashless payment systems and credit systems

Other

- Second grinder
- Integrated water tank
- Door with integrated coin validator
- Conversion kits available, e.g., height adjustable feet, grounds waste



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155

info@sielaff.de www.sielaff.com See here for our company profile video



