



The Smart One

SiVend SN48



Benefit from our strengths

High turnover from a small space

The highly versatile SN48 is the first choice for small and medium sized locations. This efficient solution delivers food and drinks around the clock.

A spiral-vendor which is so easy to use and service. Both the five or six shelf SN48 can be adapted to suit the product portfolio of any site by simply changing spiral sizes. Fresh food and non-food products are delivered quickly and safely straight to the customer.

Even fresh food items can be safely stored in the SN48. The SN48 is available as a Snack, Combi, Fresh food or 2T LM (dual temp.) version. Sielaff's food safety software monitors the temperature in the fresh food area to ensure that only perfectly chilled products are dispensed.

As with all Sielaff products, the SN48 is manufactured to the highest standards e.g. riveted cabinet, metal shelves and spirals powder coated, push-in chiller unit and SMD control board common to the FS/SÜ range.

Its efficient insulation is impressive and the energy-saving LEDs ensure the perfect presentation of all products on offer.

Product variety attracts customers

Whether for confectionery, snacks, drinks, non-food items or fresh food products a variety of standardised layouts can be seen in the examples below. Select the version most suited to your requirements.

Expertly equipped for every location

SN48 is available in one size and two designs, with 8 spirals per shelf on 5 or 6 shelves: This means that it is perfectly equipped for any need and any location.

Product compartments: Easy and convenient to fill

The spiral shelves of SN48 are very user-friendly. Shelves and spirals are made of powder coated metal (RAL 9005). The height-adjustable shelves pull-out for re-filling and the upper ones tilt to make filling easier.


Reinforced shelving is available for products weighing in excess of 15 kg per shelf.

In-house manufacture means more options

Varied options thanks to in-house manufacturing. The individually powder-coated SN48 metal spirals are manufactured in-house, are available in different sizes offer great flexibility of product ranges to be sold from the vending machine. They are available in different sizes.

Sielaff vending machines always remain adaptable to suit new requirements

Dividers can be adjusted to convert the compartments to single, double or triple spirals. This provides the flexibility for customising product selections to suit the location.



Diverse offering of confectionery, snacks, drinks or non-food products



Fresh food items in LM and 2T LM variants



SN48 is a flexible retail expert for small or medium sized locations

**"Made in Germany" – at Sielaff
this goes without saying**

SN48 stands for high-quality workmanship using only high-value, quality materials: This results in total reliability, low maintenance costs and long life.

**A sales outlet with a vision
for success**

SN48 is an efficient solution for small and medium sized locations. Its ease of use, reliable Sielaff-technology and standardised layouts make it the perfect choice for operators and customers alike.



Talent & Technology

General information

- For the dispense of confectionery, snacks, drinks, non-food and fresh food products
- Available in one cabinet size and two designs:
 - EB Design
 - RB Designwith additional optional features
- Capacity: up to 8 selections per shelf, 5 or 6 shelves
- Coin insert and product selection area accessible to wheelchair users
- Suitable for a vending line
- Modular design – service friendly and easy to recycle
- Can pass through an 800 mm doorway (with a little dismantling)

Technology

- Automatic recognition of motors and selection numbers
- Mains switch
- Sales and service data can be downloaded in accordance with EVA-DTS-standard (e. g. via telemetry, MDB connection or infra-red interface)
- Option: Light bar to monitor product delivery

Energy

- Chiller and lighting are freely programmable
- Energy consumption can be reduced during evenings or weekends by raising the chiller temperature and switching off lighting

Layouts

- Metal shelves, powder coated RAL 9005
- Dividers can be adjusted to convert the compartments to single, double or triple spirals for optimum product selection on site
- Height adjustable
- Upper shelves tiltable for easy refilling
- Optional:
The three lower shelves can be reinforced if the total weight of the products exceeds 15 kg. A reinforced shelf is ideally suited to accommodate products up to a total weight of 30 kg

Spirals

- Metal spirals, powder coated RAL 9005
- Spirals available in different sizes
- First-in / first-out principle
- Fast and easy spiral adjustment "SiClip'n turn", patent pending



*Powder-coated metal spirals
in a large range of sizes*



Standard accessories: Metal keypad



Perfectly equipped for every location

Cooling

- High performance, low maintenance push-in chiller. Hermetically closed cooling system
- HC R-290 refrigerant with a GWP of 3
- Food-safe storage of fresh products in the vending machine (LM or 2T LM version)
- The positioning of the temperature zones is adjustable within a defined area

Cabinet and Door

- Cabinet and door powder coated
- Insulated glass made from composite safety glass
- EB design with stainless steel operator panel
- RB design with painted operator panel
- LED-illumination
- Metal keypad
- Locking lever protection for added security
- Optional: Additional optional features kickplates at the front and sides and rear advertising panel

Payment systems

- Integration of additional payment systems possible

Overview of the range

Version	RB				EB			
	standard	LM	2T	Combi	standard	LM	2T	Combi
SN48 5 shelves	X	X	X	X	X	X	X	X
SN48 6 shelves	X	X	X	X	X	X	X	X

Individually configured – Suitable for every location


Configure your SN48 vending machines to suit your requirements. The EB Design has a stainless steel operator panel, the RB Design has a RAL-painted operator panel.

The RB and EB designs include a robust stainless steel keypad with square selection buttons, a crossways coin slot, motorised coin return into a coin return drum and a frame around the dispenser.


Optional:

- Coin insert slide and coin return drum
- Light barrier
- LM-version
- 2-T version with adjustable shelf division within a defined range
- Triple spirals
- Heavy-load shelves, for use on the three lower levels


Layout examples




6 shelves / 36 selections
standard cooling configuration




5 shelves / 30 selections
standard cooling configuration




5 shelves / 34 selections
combi cooling configuration



6 shelves / 24 selections
LM cooling configuration
incl. food safety



6 shelves / 32 selections
2 T-LM cooling configuration
incl. food safety



Design RB Combi-version



Design EB 2T-version

Design variants:

All design variants are available with the following operator panels:

- RB (RAL-painted operator panel)
- EB (stainless steel operator panel)



Cabinet available in
jet black (RAL 9005),
white aluminium (RAL 9006) and
pure white (RAL 9010)

* Machine dimensions
may vary due to add-on
parts and accessories



Dimensions

- 1,830 x 880 x 840 mm
(height x width x depth)*

Weight

- Approx. 265 kg
(empty weight, depends on layout)

Electrical data

- 220-230 V / 50/60 Hz / 10 A min

Power usage

- 400 W
(varies depending on chiller unit)

Energy consumption labelling

- in accordance with regulation
(EU) 2019/2018 DIN 50597:2018
HC refrigerant R-290
Energy efficiency category D



Energy efficiency for all
machine types can be
found under
[www.sielaff.de/en/products/
vending-machines/energy-
consumption-labelling](http://www.sielaff.de/en/products/vending-machines/energy-consumption-labelling)



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Telephone: +49 9825 18-0
export@sielaff.de
www.sielaff.com

**See here for our
company profile video**

